EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S100	2	"6748496".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 10:31
S101	14	("20020138700" | "5381539" | "5701435" | "5734881" | "5933835" | "5958040" | "6141728" | "6393527").PN. OR ("6748496").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/01 10:46
S102	1	S101 and (buffer or queue or fifo) with (respon$4 or acknowledg$4) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 10:48
S103	11	("20020056027" | "20040133747" | "5822772" | "6138213" | "6202101" | "6260099" | "6269433" | "6564304" | "6748496").PN. OR ("6892281").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/01 11:26
S104	2	S103 and (buffer or queue or fifo) with (respon$4 or acknowledg$4) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 11:26
S105	55	"710"/$.ccls. and (buffer or queue or fifo) with (chipset or hub or bridg$3) with (respon$4 or acknowledg$4) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 12:22

S106	1	710/5.ccls. and (buffer or queue or fifo) with (switch$3 or chipset or hub or bridg$3) with combin$3 and (respon $4 or acknowledg$4 or (wrute near back)) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 15:28
S107	23	"710"/$.ccls. and (buffer or queue or fifo) with (switch$3 or chipset or hub or bridg $3) with combin$3 and (respon$4 or acknowledg$4 or (wrute near back)) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 15:28
S108	2	"20050235067"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 15:59
S109	2	"7353301".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 16:01
S110	7	("20020087801" | "20030023666" | "20040015503" | "20050071534" | "6101568").PN. OR ("7353301").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/01 16:03
S111	6	S110 and (respon$4 or acknowledg$4 or (write near back))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 16:04
S112	5	S111 and (buffer or queue or fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/01 16:05
S113	34	("710" or "711"/$).ccls. and (buffer or queue or fifo) with combin$3 with (respon$4 or acknowledg$4 or (wrute near back)) and (switch$3 or chipset or hub or bridg$3) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 11:46

S114	416	("710" or "711"/$).ccls. and (buffer or queue or fifo) with (acknowledg$4 or (write near back)) and (switch$3 or chipset or hub or bridg$3) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 13:43
S115	222	("710" or "711"/$).ccls. and (buffer or queue or fifo) with (acknowledg$4 or (write near back)) and (switch$3 or chipset or hub or bridg$3) with processor$4 and ((cache near line) or cacheline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 13:44
S116	45	("710" or "711"/$).ccls. and (buffer or queue or fifo) with (acknowledg$4 or (write near back)) with ((cache near line) or cacheline) and (switch$3 or chipset or hub or bridg$3) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 13:44
S117	69	("710" or "711"/$).ccls. and (buffer or queue or fifo) with (acknowledg$4 or "ack") with request and ((cache near line) or cacheline) and (switch$3 or chipset or hub or bridg$3) with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 14:07
S118	14	("710" or "711"/$).ccls. and (buffer or queue or fifo) with (acknowledg$4 or "ack") with request with processor$4 and ((cache near line) or cacheline) and (switch$3 or chipset or hub or bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 14:30

S119	109	("4423482" | "4538226" | "4860244" | "5101477" | "5117486" | "5185876" | "5293603" | "5329489" | "5396596" | "5404480" | "5448704" | "5455915" | "5499384" | "5590377" | "5598537" | "5692200" | "5694556" | "5761443" | "5761457" | "5771359").PN. OR ("6073190").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/02 15:13
S120	1	S119 and (buffer or queue or fifo) with (acknowledg$4 or "ack") with request with processor$4 and ((cache near line) or cacheline) and (switch $3 or chipset or hub or bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 15:14
S121	1	S119 and (buffer or queue or fifo) with (acknowledg$4 or "ack") with request with processor$4 and ((cache near line) or cacheline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 15:17
S122	1	S119 and (buffer or queue or fifo) with (acknowledg$4 or "ack") with request with processor$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 15:17
S123	23	(buffer or queue or fifo) with (acknowledg $4 or "ack") with request with processor $4 and ((cache near line) or cacheline) and (switch$3 or chipset or hub or bridg$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 15:19
S124	9	S123 not S118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/02 15:19

S125	0	(buffer or queue or fifo) with (acknowledg$4 or "ack") with request with processor$4 and ((cache near line) or cacheline) and hub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 11:13
S126	0	(buffer or queue or fifo) with hub and (acknowledg$4 or "ack") with request with processor$4 and ((cache near line) or cacheline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 11:14
S127	16	(buffer or queue or fifo) and hub and (acknowledg$4 or "ack") with request with processor$4 and ((cache near line) or cacheline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 11:14
S128	70	(buffer or queue or fifo) and hub and (acknowledg$4 or "ack" or repl$4) with request with (processor$4 or controller) and ((cache near line) or cacheline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 11:20
S129	44	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) and hub and (acknowledg$4 or "ack" or repl$4) with request with (processor$4 or controller) and ((cache near line) or cacheline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 11:21
S130	15	("4307461" | "4328543" | "5255378" | "5640517" | "5696917" | "5715476" | "5784705" | "5835970" | "5898857" | "5918072" | "6026465" | "6178467" | "6223266" | "6292651" | "6418558").PN. OR ("7058736").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/05 11:49

S131	237	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) and (acknowledg$4 or "ack" or repl$4) with (request or command) with (cpu or processor$4 or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 12:02
S132	335	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 12:03
S133	23	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) with (acknowledg$4 or "ack" or repl$4) with (request or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 12:03
S134	25	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) with (acknowledg$4 or "ack" or repl$4) with (request or command or transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 12:20
S135	225	(buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:01

S136	97	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor $4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:02
S137	0	S135 and (buffer or queue or fifo) with (mch or hub or bridge) with (request or command or transaction) with combin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:19
S138	11	S135 and (buffer or queue or fifo) with (request or command or transaction) with combin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:19
S139	128	S135 and (request or command or transaction) with combin$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:20
S140	25	("711"/$ or "710"/$).ccls. and S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:21
S141	0	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor $4 or controller) with (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:31

S142	2	(buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) with (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:31
S143	107	("711"/$ or "710"/$). ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor $4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:33
S144	87	"710"/$.ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:33
S145	75	S144 and device with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:34
S146	57	S144 and device with (address or id or identification) with (request or command or transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 13:34
S147	10	METHOD same APPARATUS same MANAGING same BUFFERS same TRANSMITTING same "PACKETS"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 14:44

S148	194	"710"/$.ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) and (acknowledg$4 or "ack" or response) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 14:45
S149	22	710/5,62.ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) and (acknowledg$4 or "ack" or response) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 14:46
S150	35	710/52,8.ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor$4 or controller) and (acknowledg$4 or "ack" or response) with (request or command or transaction) with (address or id or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:15
S151	2	"7447826".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:28
S152	2	"7124235" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:30

S153	2	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) with (cpu or processor $4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) and (address or id or identification) with (request or command or transaction or packet) and mmio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:33
S154	11	("711"/$ or "710"/$).ccls. and (buffer or queue or fifo) with (mch or hub or bridge) and (cpu or processor $4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) and (address or id or identification) with (request or command or transaction or packet) and mmio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:35
S155	2	"6279064".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 15:43
S156	5	flush and (buffer or queue or fifo) with (mch or hub or bridge) and (cpu or processor $4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) and (address or id or identification) with (request or command or transaction or packet) and mmio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:03

S157	450	flush and (buffer or queue or fifo) with (mch or hub or bridge) and (cpu or processor $4 or controller) and (acknowledg$4 or "ack" or repl$4) with (request or command or transaction) and (address or id or identification) with (request or command or transaction or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:06
S158	17	S157 and 710/5,8,62,52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 16:08
S159	1581	710/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 17:02
S160	1760	710/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 17:02
S161	2533	710/52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 17:03
S162	2189	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 17:03
S163	487	710/6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 17:03
S164	2	"6279098".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 18:09

S165	2	"6748496".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/05 18:15
S166	2	"6944733".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 09:41
S167	5	710/5,8,62,52.ccls. and (buffer same threshold) and ((burst near transfer$4) and device) and ((burst near transfer$4) same threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:01
S168	198	kenneth creta.in. or aaron spink.in. or lance hacking.in. or sridhar rnuthrasanallur.in. or jasmin ajanovic.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/10/06 14:07
S169	1	S168 and write same processor same buffer same hub same flushing same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/06 14:07
S170	21	710/5,8,62,52.ccls. and (buffer same threshold) and ((burst near transfer$4) and device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:14
S171	5	710/5,8,62,52.ccls. and (buffer same threshold) and ((burst near transfer$4) and device) and ((burst near transfer$4) same threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 14:15
S172	2	"6877049".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/06 14:42

10/7/2009 4:17:38 PM
C:\ Documents and Settings\ eunelus\ My Documents\ EAST\ Workspaces\ 10828872.updated. wsp